REFERENCES

1. Hanachi P. (**2009)**, Using HPLC to determine the composition and antioxidant activity of Berberis Vulgaris. *Europian Journal of Scientific Research*, **Vol. 29 (1)**, 47-54.

2. Ottolenghi A. **(1959),** Interaction of ascorbic acid and mitochondrial lipids. *Achives of Biochemistry and Biophysics*, **79,** 335-358.

3. Ayoola G. **(2008)**, Phytochemical screening and antioxidant activities of some selected medicinal plants used for malaria therapy in southwestern Nigeria. *Tropical Journal of Pharmaceutical Research*, **Vol. 7 (3),** 1019 – 1024.

4. Willim B., Cuvelier ME., Berset C. **(1995),** Use of free radical method to evaluate antioxidant activity. *Lebensmittel Wissenschaft and Technology*, **28,** 25-30.

5. Ayoola GA., Sofidiya T., Odukoya O., Coker H.A.B. **(2006)**, Phytochemical screening and free radical scavenging activity of some Nigerian medicinal plants. *J. Pharm. Sci. & Phar. Pract*., **8,** 133-136.

6. Pourmorad F. **(2006)**, Antioxidant activity, phenol and flavonoid contents of some selected Iranian medicinal plants. *African Journal of Biotechnology*, **Vol. 5 (11),** 1142-1145.

7. Koleva II**. (2002)**, Screening of plant extracts for antioxidant activity: a comparative study on three testing method. *Phytochemical Analysis*, **13**, 8-17.

8. Sangameshwaran B. **(2009)**, In vitro antioxidant activity of roots of Thespesia Lampas Dalz and Gibs. *Pak. Journal of Pharm. Sci.*, **Vol. 22 (4),** 368-372.

9. Braugghler JM., Duncan CA. and Chase LR. **(1986),** The involvement of iron in lipid peroxidation. Importance of ferrous to ferric ratio in initiation. *J. Biol. Chem.*, **216,** 102-182.

10. Spanou C. **(2008)**, Antioxidant and chemopreventive properties of polyphenolic compound derived from greeek legume, plant extract. *J. Agric. Food chain.*, **56 (16),** 6967.

11. Hossain K. **(2011)**, *American Journal of Food Technology*, **Vol. 6 (5),** 385-394.

12. Khandakar L., Ali M.B. and Oba S. **(2008),** Total polyphenol and antioxidant activity of red amaranth (Amaranthus .tricolor L.) as affected by different sunlight level. *J. Jpn. Soc. Hortic. Sci.*, **77**, 395-401.

13. Burits M. and Bucar F. **(2000),** Antioxidant activity of Nigella sativa essential oil. *Phytother. Res.*, **14,** 323-328.

14. Francois Muanda N. **(2010)**, Chemical composition and biological activities of Ficus capensis leaves extract. *Journal of Natural Products*. **Vol. 3**, 147-160.

15. Sharma V., Gulati A., Ravindranath S.D., Kumar V. **(2005)**, A simple and convient method for the analysis of tea biochemicals by reverse phase HPLC. *J. Food Compos. Anal.*, **18,** 583-594.

16. Djeridan A., Yousfi M., Nadjemi B., Boutassouna D., Stocker P., Vidal N. **(2006),** Antioxidant activity of some Algerian medicinal plants extracts containing phenolic compounds. *Food Chem***., 97,** 654-660.

17. Pothitirat W., Chomnawang. Supabphol R., Gristanapan W. **(2009),** Comparision of bioactive compounds content, free radical scavenging and anti-acne inducting bacteria activities of extracts from Mongosteen fruit rind at two stages of maturity. *Fitoterapia,* **80,** 442-447.

18. Bauer A., Kirby W. M.M., Sheriss J.C., Turck M. **(1966),** Antibiotic susceptibility testing by a standardized single disc method. Am. *J. Clin. Pathol.,* **45,** 125-132.

19. Hemlatha K.P.J. **(2011)**, Evaluation of antioxidant activity of two Indian medicinal plants. *Journal of Phytology*. **Vol. 3 (3),** 86-91.

20. Blois M. S. **(1958)**, Antioxidant determination by the use of a stable free radical. Nature, **29**, 1199-2000.

21. Kunchandi M.N., Rao A. **(1990),** Oxygen radical scavenging activity of curcumin. *Int. J. of Pharmacog.*, **58,** 237-240.

22. Janero D. R**. (1990),** Malondialdehyde and thiobarbituric acid reactivity as diagnostic indices of lipid peoxidation and peroxidation tissue injury. *Free Rad. Biol. And Med*., **9,** 513-540.

23. Decker, Barbara W. **(1990)**, Role of ferritin as a lipid oxidation catalyst in muscle food. *J. of Agric. And Food. Chem.*, **38,** 674-667.

24. Uzelac D. **(2009)**, Polyphenols and antioxidant capacity in fruits and vegetables common in the Croatian Diet. *Agriculture Conspectus Scientifics* **Vol. 74 (3),** 175-179.

25. Arts, Hollman PC. **(2005),** Polyethanol and disease risk in epidemiologic studies. *American Journal of Clinical Nutrition.* **81,** 317S-325S.

26. Singleton V.L., Rossi J.A., **(1965)**, Colorimetry of total phenolics with phosphomolibdic-phosphotungistic reagents. *American Journal of Ecology and Viticulture*, **16,** 144-158.

27. Brand-Williams W., Cuvelier M.E., Berset C. **(1995)**, Use of a free radical method to evaluate antioxidant activity. *Lebensimittel Wissenschaft and technologie Food Science and Technology.* **28**, 25-30.

28. Loganathan M. **(2010),** *Advances in Biological Research.* **Vol. 4 (2),** 122-125.

29. Yen G.C. and Duh P.D. **(1994)**, Scavenging effect of methanolic extract of peanut hulls on free-radical and active oxygen species. *J. Agric. Food Chem.,* **42,** 625-632.

30. Marcocci P.L., Sckaki A. and Albert G.M. **(1994)**, Antioxidant action of Ginkgo Biloba extracts EGP 761 Methods in Enzymology, **234,** 462-475.

31. Khanam S., Shivaprasad N.M., Kashama D. **(2004)**, In vitro antioxidant screening models, a review, *Ind. J. Pharm. Educ.*, **38,** 180-194.

32. Mathew S. and Abhrahm E.T. **(2004)**, In vitro antioxidant activity and scavenging effect of Cinnamomum verum leaf extract assayed by different methodologies. *Food Chem. Toxical.,* **44,** 198-206.

33. Bios M.S. **(2002)**, Antioxidant determination by the use of stable free radical. Nature, **26,** 1199-1200.

34. Dinis TCP, Madeira VMC, Almeida LM. **(1994)**, Action of phenolic derivatives as inhibitiors of membrane lipid peroxidation and as peroxyl radical scavengers. *Archives of Biochemistry and Biophysics,* **315,** 161-169.

35. Nishimiki M. Rao. NA. Yagi K. **(1972)**, The occurrence of superoxide anion in the reaction of reduced phenazine methosulfate and molecular oxygen. *Biochemical and Biophysical Research Communication,* **46,** 849-853.

36. Ramamoorthi P. **(2007)**, Antioxidant activity, total phenolics and flavonoid content of Morinda Citrifolia fruit extracts from various extraction procedures. *Journal of Engineering Science and Technology*, **Vol. 2 (1)**, 70-80.

37. Louli V., Ragoussis N. and Magoulas K. **(2004)**, Recovery of phenolic antioxidant from wine industry by-products. *Bioresource Technology*, **92,** 201-208.

38. Lakshmidevi N. **(2010)**, *Journal of American Science*, **Vol 6 (10)**.

39. Singh SS., Pandey SC., Srivastava S., Gupta VS., Patro B. **(2003)**, Chemistry and medicinal properties of Tinospora cordifolia. *Indian Jouranl of Pharmacolgy,* **35,** 83-91.

40. Malick CP., Singh MB. **(1980)**, In; plant Enzymology and Histo Enzymology, 286.

41. Moon JH., Terao J. **(1998)**, Antioxidant activity of caffeic acid and dihydrocaffeic acid in lard and human low density protein. *Journal of Agriculture and Food Chemistry*, **46,** 5063-5065.

42. Kvadlapudi, **(2010),** *Chiang Mai Journal Sci.*, **Vol. 37 (3),** 489-497.

43. Zhishen J., Mengcheng T. and Jianming W. **(1999)**, The determination of flavonoid content in mulberry and their scavenging effects on superoxide radicals, *Food Chem.*, (**64)**, 555-559.

44. Braca A.T., Nunziatina D.B., Lorenzo D., Pizza C., Politi M. and Morelli I. **(2001)**, Antioxidant principles from Baubinia terapotensis, *J. Nat. Prod.*, **64,** 892-895.

45. Wang Z. **(2007)**, *Asian Journal of Traditional Medicines*, **Vol. 2 (3)**.

46. Aquino R., Morelli S., Tomaino A., Pellegrino M., Saija A., Grumetto L., Puglia C., Ventura D., Bonina F., Grumetto L. **(2002),** Antioxidant and photoprotective activity of a crude extract of culcitium reflexum H.B.K. Leaves and their major flavonoids. *J. Ethnpharmacol*, **79,** 183-191.

47. Singleton V.L., Orthofer R., Lamuela-Raventos R.M. **(1999)**, Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalter reagent. *Meth. Enzymol*, **299,** 152-178.

48. Lin J., Tang C. **(2007)**, Determination of total phenolic and flavonoid contents in selected fruits and vegetables, as well as their stimulatory effects on mouse splenocyte proliferation. *Food Chem.*, **101,** 140-147.

49. Lale N.E.S. **(2002)**, Stored product etomology and acarology in tropical Africa, 204.

50. Adams R.P. **(2001)**, Identification of essential oil components by GC-quadrapole M.S.

51. Konstantopoulou L.L., Vassilopoulou L., Mavragani P., Scouras ZG. **(1992)**, Insecticidal effects of essential oils. A study of the effects of essential oil extracted from eleven Greck aromatic plants on Drosophila aria, **48,** 616-619.

52. Das P.K. and Baran S. Jr. **(1999)**, Neuronal differentiation in PC12 cell is inhibited by chlorpyrifos and its metabolite. Its acetyl cholinesterase inhibition the site of action. *Technology and Applied pharmacol,* **160,** 217-230.

53. Blazewicz A. **(2009)**, Determination of heavy metals in arial part of Hyssop. *Polish J. of Environ. Stud.*, **Vol. 18 (2),** 167-173.

54. Baranowiska I. **(2007),** Determination of heavy metal contents in samples of medicinal herbs. *Polish Journal of Environmental Studies*, **Vol. 11 (5),** 467-471.

55. Baranowska I., Srogik P.J. **(2000)**, *Environmental Studies*, **9**, 329.